



Standard Specification for Large-Diameter Fabricated Carbon Steel Flanges¹

This standard is issued under the fixed designation F1311; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This specification provides design and construction criteria for large diameter flanges sizes 14 NPS to 144 NPS, for use in high temperature (1000 °F), low pressure service (25 psig), such as internal combustion engine exhaust and forced ventilation systems.

1.2 The values stated in inch-pound units are to be regarded as standard. No other units of measurement are included in this standard.

1.3 *This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.*

2. Referenced Documents

2.1 *ASTM Standards:*²

A36/A36M Specification for Carbon Structural Steel
F1155 Practice for Selection and Application of Piping System Materials

2.2 *AWWA Standards:*³

AWWA C 207 Steel Pipe Flanges for Waterwork Service
4 in. through 144 in.

2.3 *Other Documents:*

American Bureau of Shipping Rules for Building and Classing of Steel Vessels, ABS Grade A⁴

American Welding Society Publication, AWS D 1.1 Structural Welding Code⁵

¹ This specification is under the jurisdiction of ASTM Committee F25 on Ships and Marine Technology and is the direct responsibility of Subcommittee F25.11 on Machinery and Piping Systems.

Current edition approved May 1, 2023. Published June 2023. Originally approved in 1990. Last previous edition approved in 2018 as F1311 – 90 (2018). DOI: 10.1520/F1311-90R23.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

³ Available from American Water Works Association (AWWA), 6666 W. Quincy Ave., Denver, CO 80235, <http://www.awwa.org>.

⁴ Available from American Bureau of Shipping (ABS), ABS Plaza, 16855 Northchase Dr., Houston, TX 77060, <http://www.eagle.org>.

⁵ Available from American Welding Society (AWS), 8669 NW 36 St., #130, Miami, FL 33166-6672, <http://www.aws.org>.

Code of Federal Regulations Title 46, Subpart 56.30—10
(b) (5)⁶

ASME Boiler and Pressure Vessel Code, Section IX, Welding Qualifications⁷

3. Classification

3.1 *Type I*—Plate flanges, for sizes 14 in. inside diameter up to and including 144 in. inside diameter (see Fig. 1).

3.2 *Type II*—Rolled angle flanges, for sizes 14 in. up to and including 108 in. inside diameter (see Fig. 1).

4. Ordering Information

4.1 Flanges ordered under this specification shall include the following:

4.1.1 ASTM designation, title, number, and date of this specification,

4.1.2 Type and material,

4.1.3 Nominal pipe size,

4.1.4 Quantity, and

4.1.5 Inspection of items shall be agreed upon between the purchaser and the supplier.

5. Dimensions and Tolerances

5.1 *Dimensions*—Dimensions shall be in accordance with Table 1.

5.2 *Tolerances*:

5.2.1 Plus or minus 1/4 in. on outside and inside diameters shall apply on flanges of 22 in. nominal pipe size and above. The tolerance for flanges for 20 in. nominal size and below shall be $\pm 1/8$ in.

5.2.2 Plus or minus 1/16 in. on bolting circle.

6. Drilling

6.1 Number of holes, hole diameter, and bolt circle are identical for both Type I and Type II flanges.

6.2 Bolt holes shall be equally spaced on the bolt circle.

6.3 Bolt holes provide for 1/8 in. diameter clearance on bolts.

⁶ Available from DLA Document Services, Building 4/D, 700 Robbins Ave., Philadelphia, PA 19111-5094, <http://quicksearch.dla.mil>.

⁷ Available from American Society of Mechanical Engineers (ASME), ASME International Headquarters, Two Park Ave., New York, NY 10016-5990, <http://www.asme.org>.