



BSI Standards Publication

Laminate floor coverings - Underlays - Specification, requirements and test methods

National foreword

This British Standard is the UK implementation of [EN 16354:2018](#). It supersedes [PD CEN/TS 16354:2013](#), which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/60, Resilient and Laminate Floor Coverings.

A list of organizations represented on this committee can be obtained on request to its secretary.

BSI, as a member of CEN, is obliged to publish [EN 16354:2018](#) as a British Standard. However, attention is drawn to the fact that during the development of this European Standard, the UK committee voted against its approval.

The UK committee submitted a negative vote as [EN 16354:2018](#) requires a compressive strength (CS) threshold of ≥ 10 kPa. The UK committee is of the opinion that underlays with a compressive strength of ≥ 5 kPa can perform under certain end-use scenarios. The committee therefore recommends that, in addition to testing, the underlay manufacturer provide guidance on the use of its product for the required end use.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018
Published by BSI Standards Limited 2018

ISBN 978 0 580 92318 0

ICS 97.150

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2018.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------
