

---

---

**Practice for dosimetry in an X-ray  
(bremsstrahlung) facility for radiation  
processing**

*Pratique de la dosimétrie dans une installation de traitement de produits  
alimentaires par des rayons X (Bremsstrahlung)*



## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 15567 was prepared by the American Society for Testing and Materials (ASTM) Subcommittee E10.01 (as E 1608-94) and was adopted, under a special "fast-track procedure", by Technical Committee ISO/TC 85, *Nuclear energy*, in parallel with its approval by the ISO member bodies.

A new ISO/TC 85 Working Group WG 3, *High-level dosimetry for radiation processing*, was formed to review the voting comments from the ISO "Fast-track procedure" and to maintain these standards. The USA holds the convenership of this working group.

International Standard ISO 15567 is one of 20 standards developed and published by ASTM. The 20 fast-tracked standards and their associated ASTM designations are listed below:

| ISO Designation | ASTM Designation | Title                                                                                                          |
|-----------------|------------------|----------------------------------------------------------------------------------------------------------------|
| 15554           | E 1204-93        | <i>Practice for dosimetry in gamma irradiation facilities for food processing</i>                              |
| 15555           | E 1205-93        | <i>Practice for use of a ceric-cerous sulfate dosimetry system</i>                                             |
| 15556           | E 1261-94        | <i>Guide for selection and calibration of dosimetry systems for radiation processing</i>                       |
| 15557           | E 1275-93        | <i>Practice for use of a radiochromic film dosimetry system</i>                                                |
| 15558           | E 1276-96        | <i>Practice for use of a polymethylmethacrylate dosimetry system</i>                                           |
| 15559           | E 1310-94        | <i>Practice for use of a radiochromic optical waveguide dosimetry system</i>                                   |
| 15560           | E 1400-95a       | <i>Practice for characterization and performance of a high-dose radiation dosimetry calibration laboratory</i> |
| 15561           | E 1401-96        | <i>Practice for use of a dichromate dosimetry system</i>                                                       |

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization  
Case postale 56 • CH-1211 Genève 20 • Switzerland  
Internet iso@iso.ch

Printed in Switzerland